

## **McKinn International Pte Ltd**

www.mckinn.com.sg

## **PRODUCT SPECIFICATION**

## **Ethylene Carbonate**

**Chemical Name** : Ethylene Carbonate

**Molecular Formula Molecular Weight:** 88.06  $C_3H_4O_3$ 

**HS Code** 2932999099 **CAS** number : 96-49-1

**UN Code** Not Applicable DG Class/PKG GP : Not Applicable

**Applications** : Ethylene Carbonate can be used in Polyurethanes and coatings as

> solvent, can be used in Lube oil additives as dispersants. It is perfect solvent for lithium battery electrolyte and used in different areas, e.g. Hybrid cars, Electric cars, Plane, Mobile phones and tablets that have

bigger screens and laptop.

**Packaging** : 250kg steel drum or 24MT per ISO tank

| Characteristics | Unit | <b>Guaranteed Values</b>   |
|-----------------|------|--|
| Appearance      | -    | Colourless needle-shaped or flake crystal in regular temperature |
| Purity          | %    | 99 Min   |
| Water Content   | %    | 0.1 Max  |
| Colour (Pt-Co)  | -    | 40 Hazen Max   |
| Ethylene Glycol | %    | 0.5 Max  |
| Flash (PMCC)    | °C   | 145 Min  |

Ref No: SPEC-MK-308A (Rev-01) Last Update: 16 Jul 2018